Cheever et al. Application No.: 09/493,480

Page 22

APPENDIX B PENDING CLAIMS

- 93. (once amended) An isolated nucleic acid encoding a fusion protein comprising a HER-2/neu extracellular domain fused to a HER-2/neu phosphorylation domain, wherein the nucleic acid hybridizes under stringent conditions to the complement of a nucleic acid sequence encoding the amino acid sequence of SEQ ID NO:6, wherein the hybridization reaction is incubated in a solution comprising 5x SSC at a temperature of 50-65°C and washed in a solution comprising 0.2x SSC and 0.1% SDS at a temperature of 65°C, and wherein the protein is capable of producing an immune response in a warm-blooded animal.
- 94. (once amended) The nucleic acid of claim 93, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:3 linked to an amino acid sequence inclusive of Gln 991 to Val 1256 of SEQ ID NO:2.
- 95. (once amended) The nucleic acid of claim 93, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:8 linked to an amino acid sequence of SEQ ID NO:4.
- 96. (once amended) The nucleic acid of claim 93, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:8 linked to the amino acid sequence inclusive of Gln 991 to Val 1256 of SEQ ID NO:2.
- 97. (once amended) The nucleic acid of claim 93, wherein fusion protein comprises sequences that are linked via an amino acid linker.
 - 98. (once amended) A viral vector comprising a nucleic acid of claim 93.

Page 23

- 99. (once amended) A composition comprising the nucleic acid of claim 93, and a physiologically acceptable carrier or diluent.
- 100. (once amended) The composition of claim 99, wherein the composition is a vaccine.
- 101. (once amended) The composition of claim 99, further comprising an immunostimulatory substance.
- 102. (once amended) The composition of claim 99, wherein the nucleic acid is a DNA molecule.
- 103. (once amended) An isolated nucleic acid encoding a fusion protein comprising a HER-2/neu extracellular domain fused to a fragment of the HER-2/neu phosphorylation domain, wherein the nucleic acid hybridizes under stringent conditions to the complement of a nucleic acid encoding the amino acid sequence of SEQ ID NO:7, wherein the hybridization reaction is incubated in a solution comprising 5x SSC at a temperature of 50-65°C and washed in a solution comprising 0.2x SSC and 0.1% SDS at a temperature of 65°C, and wherein the protein is capable of producing an immune response in a warm-blooded animal.
- 104. (once amended) The nucleic acid of claim 103, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:3 linked to the amino acid sequence inclusive of Gln 991 to Arg 1049 of SEQ ID NO:2.
- 105. (once amended) The nucleic acid of claim 103, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:8 linked to an amino acid sequence of SEQ ID NO:5.

Page 24

- 106. (once amended) The nucleic acid of claim 103, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:8 linked to the amino acid sequence inclusive of Gln 991 to Arg 1049 of SEQ ID NO:2.
- 107. (once amended) The nucleic acid of claim 103, wherein fusion protein comprises sequences that are linked via an amino acid linker.
 - 108. (once amended) A viral vector comprising a nucleic acid of claim 103.
- 109. (once amended) A composition comprising the nucleic acid of claim 103, and a physiologically acceptable carrier or diluent.
- 110. (once amended) The composition of claim 109, wherein the composition is a vaccine.
- 111. (once amended) The composition of claim 109, further comprising an immunostimulatory substance.
- 112. (once amended) The composition of claim 109, wherein the nucleic acid is a DNA molecule.
- 113. (once amended) A method of making a fusion protein, the method comprising the steps of:
- (a) introducing into a cell an expression vector comprising a nucleic acid according to claims 93 or 103;
 - (b) culturing the transfected cell; and
 - (c) purifying the expressed fusion protein.
 - 114. (as filed) The method of claim 113, wherein the cell is a CHO cell.

Page 25

- 115. (as filed) The method of claim 113, wherein the cell is cultured in suspension, under serum-free conditions.
- 116. (once amended) The method of claim 113, wherein the expressed fusion protein is purified by a two-step procedure, the procedure comprising:
 - (a) anion exchange chromatography; and
 - (b) hydrophobic chromatography.
- 117. (new) The nucleic acid of claim 93, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:3 linked to an amino acid sequence of SEQ ID NO:4.
- 118. (new) The nucleic acid of claim 93, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:3 linked to an amino acid sequence of SEQ ID NO:5.
- 119. (new) The nucleic acid of claim 93, wherein the nucleic acid encodes an amino acid sequence of SEQ ID NO:6.
- 120. (new) The nucleic acid of claim 93, wherein the nucleic acid encodes an amino acid sequence of SEQ ID NO:7.
- 121 (new) The nucleic acid of claim 93, wherein the nucleic acid encodes a secreted fusion protein.
- 122. (new) The nucleic acid of claim 103, wherein the nucleic acid encodes a fusion protein comprising an amino acid sequence of SEQ ID NO:3 linked to an amino acid sequence of SEQ ID NO:5.

Cheever et al.
Application No.: 09/493,480
Page 26

(new) The nucleic acid of claim 103, wherein the nucleic acid encodes 123. an amino acid sequence of SEQ ID NO:7.

(new) The nucleic acid of claim 103, wherein the nucleic acid encodes a secreted fusion protein.